BUDGET AND FINANCE DEPARTMENT
6591 ORANGE DRIVE • DAVIE, FLORIDA 33314-3399
PHONE: 954.797.1050 • FAX: 954.797.1049 • WWW.DAVIE-FL.GOV

Memorandum

TO: Gary Shimun

FROM: William W. Ackerman

SUBJECT: Take Home Vehicles

DATE: September 26, 2007

For the 10 employees selected by Council Member Crowley, we requested that the appropriate departments compile information that would justify allowing the employee to keep their take home vehicle. Here are the results of what we received from the departments:

- Chief Structural - No after Hours Calls
- Chief Electrical - No after Hours Calls
- Chief Mechanical - No after Hours Calls
- Chief Plumbing - No after Hours Calls
- Chief Code Inspector - No after Hours Calls
- Chief Landscape Inspector - No after Hours Calls
- Chief Engineering Inspector - No specific Logs - Attends Home Owner Association Meetings / Called out for some work during the year - Verify Repairs, Dumping, Various Inspections

- Park Ranger Coordinator - No specific Logs - Called out a few times per month (Council request, damage/vandalism)

- Superintendent of Operations - No specific Logs - Averaged a little over one call per month (sewer back ups / water leaks / meter crossed)

- Maintenance Supervisor - No specific Logs - Averaged one call every 4 months

Based on the support we received back, there does not appear to be an overwhelming need for take home vehicles for these employees.

Thanks.



William Ackerman /Davie
08/10/2007 04:39 PM

To Mark_Kutney@davie-fl.gov, Dennis_Andresky@davie-fl.gov, Bruce_Taylor@davie-fl.gov
cc Ken_Cohen@davie-fl.gov, Carol_Menke@davie-fl.gov, colleen_ryan@davie-fl.gov
bcc

Subject Take Home Vehicles

Gentlemen - I have listed 10 employee positions below. For each of those employees, I need to know for the last 12 months the following information:

1. Number of calls **OUTSIDE** their normal work hours (these are service calls that occurred while the employee was already home)
2. The date and time of these service calls
3. The nature of these service calls
4. The location that the employees were called to

I need this information by the morning of August 17th, 2007. Please make sure that you also send over support that backs up your information that answers the four items above.

Here are the employees:

Mark -
1. Chief Building Inspector
2. Chief Electrical Inspector
3. Chief Plumbing Inspector
4. Chief Eng. Inspector
5. Chief Mechanical Inspector
6. Chief Code Inspector
7. Chief Landscaping Inspector

Bruce -
8. Supt. of Operations
9. Maintenance Supervisor

Dennis -
10. Park Ranger Coordinator

If you have any questions, please let me know.

Thanks.

DEVELOPMENT SERVICES DEPARTMENT
BUILDING DIVISION
6591 ORANGE DRIVE • DAVIE, FLORIDA 33314-3399
PHONE: 954.797.1111 • FAX: 954.797.1086 • WWW.DAVIE-FL.GOV

MEMORANDUM

MEMO: BD 08-04-07

TO: **William Ackerman, Budget and Finance Director**

FROM: **William O. Hitchcock, CBO, Building Official**

SUBJECT: **Chief Inspectors after Hour call outs**

DATE: **August 20, 2007**

Listed below are the after hours call outs for Development Services Chief Inspectors:

Building Division: Primarily are called out for an emergency such as a fire, and car runs into a building etc., we do have after hour inspections or weekend inspections that are set up between the contractor and Inspector (not chief).

Chief Structural:	0
Chief Electrical:	0
Chief Mechanical:	0
Chief Plumbing:	0

Code Enforcement:

Chief Code Inspector:	0

Planning & Zoning:

Chief Landscape Insp.:	0

Engineering:
Chief Eng Inspector: HOA meetings:

Royal cove Homeowners Association meeting 7:30 P.M. (drainage complaints, requested by HOA approved by Town Engineer)
Orange park Homeowners meeting 7:00 P.M. (drainage / complaints and inquiries requested by HOA approved by Town Engineer)
Emerald Isles / Emerald springs S.W. 130th ave Homeowners meeting 5:30 P.M. two separate meetings (drainage and roadway inquiries requested by HOA approved by Town Engineer)
Vista Filari Drainage project: Met after hours with individual homeowners to obtain easements for drainage improvements meeting times varied between 5:30 and 9:00 P.M. at homeowners requests. Meeting also occurred on Saturdays. Approximately 10 separate homeowners resulting in Dozens of after hour meetings.

Request to investigate operational streetlights: (verifying street light malfunctioning and verifying street lights repaired)

University Drive from Griffin Road To Stirling Road. Cable cut by contractor verify outage location 8:00 P.M. Two days later verify repair 8:00 P.M., repair not correct two days later reverify repair 8:00 P.M.
S.W. 74 ave verify street light repair 8:00 P.M.
Flamingo road and Orange drive bridge lighting verify malfunctioning lighting and verify repair. 9:00 P.M.
etc.

Call outs for work being done without permits. (I.E land clearing trucks hauling fill etc.)

Grove Creek project S.W. 142 ave trucks illegally hauling fill thru Oak Hill. Saturday and Sunday several times Requested by Council Member Judy Paul approved by Town Engineer to investigate and stop illegal hauling.
Illegal Clearing complaint 10 acres site S.W. 145 and S.W. 24 street Saturday 10:00 A.M.
Dumping and filling lake illegally Hiatus road and Earnest blvd Saturday
Dumping and filling lake illegally S.W. 16 street and S.W. 115 ave. Saturday
etc.

Town of Davie Engineering department permit projects. (After hour and weekend inspection requests)

Doug Amos apartment waterline inspection request. Two(2) Saturdays 10:00 A.M.
Lakeside Town Shops roadway lane closures and watermain taps after hour 10:00 P.M. inspections. min three (3) nights.
Roundabout S.W. 14 street and 136 ave. Saturday and evening inspections, requested by Town of Davie Capitol Projects and approved by Town Engineer.
Town of Davie Vista Filari drainage improvement project. Saturday and evening inspections requested by contractor and approved by Town Engineer
etc.

Meetings with homeowners regarding drainage complaints after hours. (5:30P.M. to 6:30 P.M.)
After hour meetings with homeowners occur on multiple occasions.

Dennis Andresky /Davie
08/20/2007 10:20 AM

To William Ackerman/Davie@Davie
cc Terry Roberts/Davie@Davie
bcc
Subject Re: parks and rec take home vehicle

tks bill

i"ll forward to terry to work on this

i do not have any records of his call outs or of when he checked on operations

we have not kept a log but are doing so now

terry:

1. look through the ranger logs and incident reports and see if you can find any record of your responding as a call out to any incidents alarms, vandalism, fires, staff problems, contact from admin or council
2. also provide the closest dates for those times you came out to check on the rangers in the evening and on weekends

provide as much info as is resonable as noted by bill

tks

Thank you,
Dennis Andresky
Town of Davie
Parks & Recreation Director
954-797-1150
William Ackerman/Davie



William Ackerman /Davie
08/20/2007 09:53 AM

To Dennis Andresky/Davie@Davie
cc
Subject Re: parks and rec take home vehicle

Log sheets
Detail of the calls
Time of the calls
Nature of call

I will pass along what you sent me but I believe they wanted more details.

You were the only one to respond . . . Thanks.
Dennis Andresky/Davie

Dennis Andresky /Davie

08/20/2007 09:48 AM

To William Ackerman/Davie@Davie

cc

Subject Re: parks and rec take home vehicle

such as?

Thank you,
Dennis Andresky
Town of Davie
Parks & Recreation Director
954-797-1150
William Ackerman/Davie



William Ackerman /Davie
08/20/2007 09:47 AM

To Dennis Andresky/Davie@Davie

cc

Subject Re: parks and rec take home vehicle

Dennis - I'll take this information for now but I believe what is needed is some type of supporting documentation.

Thanks.

Dennis Andresky/Davie

Dennis Andresky /Davie
08/17/2007 02:22 PM

To William Ackerman/Davie@Davie

cc

Subject parks and rec take home vehicle

terry roberts park ranger coordinator

1. two to three call outs per month
2. dates and times have not been logged up to this date, a log is being kept effective immediately
3. call out have been in reponse to
   - calls from council members for assistance at town hall
   - accidents and injuries occurring at a town park or for significant park area /facility damage/vandalism
     (called by police/ fire/ director/ admin)
   - facility security alarms at pine island mpc and other town buildings
4. townwide response area

**in addition to after hours service call outs, employee uses vehicle to
   - check on park ranger program operations in the evening 2 or more times per week

- check on weekend park ranger program operations twice per month

Thank you,
Dennis Andresky
Town of Davie
Parks & Recreation Director
954-797-1150

Administration	797-1030	Parks & Recreation	797-1145
Budget & Finance	797-1050	Police Department	693-8200
Development Services	797-1111	Public Works	797-1240
Engineering	797-1113	Town Clerk's Office	797-1023
Fire Department	797-1090	Utilities	327-3742
Human Resources	797-1010		

TOWN OF DAVIE UTILITIES 6591 Orange Drive, Davie, Florida 33314-3399 (954) 327-3742

MEMORANDUM

TO: William Ackerman, Budget & Finance Director

FROM: Bruce Taylor, Utilities Director

DATE: August 17, 2007

RE: Take Home Vehicles

Our department has two take home vehicles assigned to our Superintendent of Operations and Maintenance Supervisor. These positions are salaried and do not receive compensation for call-ins; therefore, we do not keep track of the time they spend outside their normal work hours. We have compiled a short list of after hours call-ins.

Maintenance Supervisor

10/07/06	Time - ? – 7590 SW 39 Court – Water Leak
11/29/06	Time - ? – 2820 NW 72 Avenue – Sewer back-up
12/06/06	Time - ? – Brentwood Townhomes – Sewer back-up
12/12/06	Time - ? – 7561 SW 37 Court – Replace 1" service line
12/17/06	Time - ? – 6101 SW 41 Court – Sewer backup
January 07	Time - ? – After hours meeting with customer regarding damage to Driveway after 12" PVC main break on SW 112 Avenue
03/02/07	Time - ? – SW 42 Court & SW 72 Terrace – Water Leak
04/11/07	Time - ? – Alarm Power failure – LS #5
05/03/07	Time - ? – 6575 SW 49 Court – Meters were crossed; wrong unit turned off for non-payment
05/07/07	Time - ? – 4801 S. University Drive – Fire hydrant hit
05/09/07	11:30 pm – 4801 S. University Drive – Leak in rear of building
05/13/07	Time - ? – Nova Drive-east of College Avenue – Water break
07/19/07	Time - ? – 3664 SW 59 Avenue – Low pressure/customer's problem
07/22/07	6:00 pm – LS #26 – Alarm – Pumps plugged

Superintendent of Operations

01/07/07	11:30 pm – 4240 SW 112 Avenue – 12" PVC main break
07/22/07	6:20 pm – 9:42 pm - Assist crew with pulling pumps
07/23/07	7:36 pm - 6830 Stirling Road – Water break; assist with locating valves

:hkc

UT500U02 Town of Davie 8/14/07
Change Service Order Comment Maintenance 13:57:27

Service Order
Type . : DR DISCONNECT-RET CHECK Svc order nbr : 139805
Status : COMPLETED Issue date/time: 3/19/07 11:38:16
Customer ID . : 52901 MARTINEZ, JORGE & RUTH
Location ID . : 101680 6575 SW 49 CT E
City . . . . . : DAVIE
Meter number . : 81430240
Service cd/Seq : AW 000 WATER
To complete service order type information, press Enter.
4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	5/3 CORRECT MTR # 81430239 LOCKED 8.38		4
_				4
_				4
_				4
_				4
_				4
_				4
				+

F3=Exit F4=Prompt F12=Cancel F18=Enter readings

Call in after Hour

Meter were crossed

Larry

UT500U02 Town of Davie 8/14/07
Change Service Order Comment Maintenance 13:57:27

Service Order
Type . : DR DISCONNECT-RET CHECK Svc order nbr : 139805
Status : COMPLETED Issue date/time: 3/19/07 11:38:16
Customer ID . : 52901 MARTINEZ, JORGE & RUTH
Location ID . : 101680 6575 SW 49 CT E
City . . . . . : DAVIE
Meter number . : 81430240
Service cd/Seq : AW 000 WATER
To complete service order type information, press Enter.
4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	DEPOSIT CHECK RETURNED-MUST PAY $100 CASH		0
_	NOTE	OR MONEY ORDER AH		0
_	NOTE	3/20 AM CAR ON MTR, COULD NOT DISC		0
_	NOTE	4/2 - CUSTOMER CLD & STATRED SHE WOULD BE IN		0
_	NOTE	TODAY TO PAY RET CK FOR $100/DEP - WATER IS		0
_	NOTE	CURRENTLY ON PER BOB KL		0
_	NOTE	SENT BACK OUT ON 3/20 TO TRY TO DISC		4
				+

F3=Exit F4=Prompt F12=Cancel F18=Enter readings

UT500U02 Town of Davie 8/14/07
Change Service Order Comment Maintenance 13:57:27

Service Order
Type . : DR DISCONNECT-RET CHECK Svc order nbr : 139805
Status : COMPLETED Issue date/time: 3/19/07 11:38:16
Customer ID . : 52901 MARTINEZ, JORGE & RUTH
Location ID . : 101680 6575 SW 49 CT E
City . . . . . : DAVIE
Meter number . : 81430240
Service cd/Seq : AW 000 WATER
To complete service order type information, press Enter.
4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	VEHICLE STILL ON MTR, NO ONE ANSWERS DOOR		4
_	NOTE	3/26 CAR STILL ON MTR, LEFT ANOTHER TAG		4
_	NOTE	3/28 DISCONNECTED 6.22		4
_	NOTE	RECONNECTED WILL PAY 3/30		4
_	NOTE	4/12 NOT PAID DISC AGAIN 8.34		4
_	NOTE	4/16 AS IS		4
_	NOTE	5/2 FOUND ON, DISC & LOCKED 11.40		4
				+

F3=Exit F4=Prompt F12=Cancel F18=Enter readings

UT500U02 Town of Davie 8/14/07

Change Service Order Comment Maintenance 13:59:51

Service Order

Type . : CM CHANGE METER Svc order nbr : 141108

Status : COMPLETED Issue date/time: 5/03/07 9:17:33

Customer ID . : 52827 JOHNSTON, DONNIE & JEN

Location ID . : 101678 6575 SW 49 CT D

City . . . . . : DAVIE

Meter number . : 81430239

Service cd/Seq : AW 000 WATER

To complete service order type information, press Enter.

4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	81430240 IS IN APT D READ IS 9		0
_	NOTE	MTR 81430239 IS IN E READ IS 6		4
_	NOTE	METERS WERE SWITCHED		4
_				4
_				4
_				4
_				4
				+

F3=Exit F4=Prompt F12=Cancel F18=Enter readings

UT500U04 Town of Davie 8/14/07
Change Service Order Comment Maintenance 14:15:21

Service Order
Type . : LR LEAK - REPAIR Svc order nbr : 138402
Status : COMPLETED Issue date/time: 1/22/07 11:48:17

Location
General site : AREA GENERAL LOCATION AREA

Service cd/Seq : AW 000 WATER
To complete service order type information, press Enter.
4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	SYSTEM # 3 STARTED LOSING WATER SUNDAY		0
_	NOTE	1/7/2007 AT APPROX 11:30 PM LEAK WAS LOCATED		0
_	NOTE	EAST SIDE OF 112 AVE IN THE DRIVE WAY		0
_	NOTE	OF 4240.THIS WAS A 12" PVC MAIN.CAUSED A		0
_	NOTE	LOT OF DAMAGE IN CUSTOMER DRIVE WAY.		0
_	NOTE	REPAIR COMPLETED 1/8/2007		4
_	NOTE	CONTRACTOR TO REPAIR CUSTOMER DRIVE WAY		4
				+

F3=Exit F4=Prompt F12=Cancel

Billy called in on
this leak

meet with customer at
a later date after looks
about his driveway Larry

UT500U03 Town of Davie 8/14/07
Change Service Order Maintenance 13:30:04

Service Order
Type . : GR GENERAL REPAIRS Svc order nbr : 137530
Status : COMPLETED Issue date/time: 12/13/06 16:18:37

Location
General site : AREA GENERAL LOCATION AREA

Service cd/Seq : AW 000 WATER
Type information, press Enter.

Service order crew (F4) . FM FIELD MAINTENANCE
Description . . . . . 7561 S.W. 37 CT
Request date . . . . . : 121306
Completion date 121306
Action (F4) . . . . . C COMPLETED

Section (F4) . . . . . DAVI DAVIE-DOWNTOWN

F3=Exit F4=Prompt F24=More keys

After Hour call in
called in the
night before

Larry

UT500U04 Town of Davie 8/14/07

Change Service Order Comment Maintenance 13:30:16

Service Order

Type . : GR GENERAL REPAIRS Svc order nbr : 137530

Status : COMPLETED Issue date/time: 12/13/06 16:18:37

Location

General site : AREA GENERAL LOCATION AREA

Service cd/Seq : AW 000 WATER

To complete service order type information, press Enter.

4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	REPLACE 1" SERVICE LINE FROM MAIN TO METER.		0
_	NOTE	SLEEVE SERVICE LINE. RESTORE ASPHALT.		0
_	NOTE	COMPLETED.		4
_				4
_				4
_				4
_				4
				+

F3=Exit F4=Prompt F12=Cancel

UT500U03 Town of Davie 8/14/07
Change Service Order Maintenance 13:37:52

Service Order
Type . : LR LEAK - REPAIR Svc order nbr : 139551
Status : COMPLETED Issue date/time: 3/07/07 8:34:36

Location
General site : AREA GENERAL LOCATION AREA

Service cd/Seq : AW 000 WATER
Type information, press Enter.

Service order crew (F4) . FM FIELD MAINTENANCE
Description . . . . . S.W. 72 TER & S.W. 42 CT
Request date . . . . . : 30707
Completion date 30207
Action (F4) . . . . . C COMPLETED

Section (F4) . . . . . DAVI DAVIE-DOWNTOWN

F3=Exit F4=Prompt F24=More keys

After Hour Call in

Larry

UT500U04 Town of Davie 8/14/07

Change Service Order Comment Maintenance 13:38:04

Service Order

Type . : LR LEAK - REPAIR Svc order nbr : 139551

Status : COMPLETED Issue date/time: 3/07/07 8:34:36

Location

General site : AREA GENERAL LOCATION AREA

Service cd/Seq : AW 000 WATER

To complete service order type information, press Enter.

4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	FRIDAY 3/2/2007 BOB CALLED IN A LEAK AT		0
_	NOTE	72 TER & S.W. 42 CT.		0
_	NOTE	REPAIR LEAK & SIDEWALK.		0
_	NOTE	COMPLETED. KO RR GC DS		0
_	NOTE	3/14 REPRINT		4
_				4
_				4
				+

F3=Exit F4=Prompt F12=Cancel

UT500U01 Town of Davie 8/14/07
Change Service Order Maintenance 13:48:25

Service Order
Type . : SB SEWER BLOCKAGE/BACKUP Svc order nbr : 137160
Status : COMPLETED Issue date/time: 11/30/06 8:08:56
Customer ID . : 30375 VERA, JACQUELINE
Location ID . : 49494 2820 NW 72 AVE
City . . . . . : DAVIE
Meter number . :
Service cd/Seq : SR 000 SEWER
Type information, press Enter.
Phone number . . . . . ___ - 8941132
Service order crew (F4) . FM FIELD MAINTENANCE

Request date . . . . . : 113006
Completion date 113006
Action (F4) . . . . . C COMPLETED

Section (F4) . . . . . NW NORTHWEST AREA/OLD HLWDD

Generate misc charge . . :

F3=Exit F4=Prompt F24=More keys

After Hour Call in

Larry

UT500U02 Town of Davie 8/14/07

Change Service Order Comment Maintenance 13:48:36

Service Order

Type . : SB SEWER BLOCKAGE/BACKUP Svc order nbr : 137160

Status : COMPLETED Issue date/time: 11/30/06 8:08:56

Customer ID . : 30375 VERA, JACQUELINE

Location ID . : 49494 2820 NW 72 AVE

City . . . . . : DAVIE

Meter number . :

Service cd/Seq : SR 000 SEWER

To complete service order type information, press Enter.

4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	CUSTOMER CALLED AFTER HOURS WEDNESDAY		0
_	NOTE	11/29/2006 STATING HER SEWER WAS BACKING UP		0
_	NOTE	DARRYL & TOBY WAS CALLED IN.		0
_	NOTE	COMPLETED.		4
_				4
_				4
_				4
				+

F3=Exit F4=Prompt F12=Cancel F18=Enter readings

UT500U01 Town of Davie 8/14/07
Change Service Order Maintenance 13:52:46

Service Order
Type . : LP LOW PRESSURE Svc order nbr : 143023
Status : COMPLETED Issue date/time: 7/19/07 8:07:04
Customer ID . : 47247 PEREZ, SYLVIA & GARCIA,ELIEZER
Location ID . : 21886 3664 SW 59 AVE
City . . . . . : DAVIE
Meter number . : 79932527
Service cd/Seq : AW 000 WATER
Type information, press Enter.
Phone number . . . . . 954 - 6626690
Service order crew (F4) . CS CUSTOMER SERVICE CREW

Request date . . . . . : 71907
Completion date 71907
Action (F4) . . . . . C COMPLETED

Section (F4) . . . . . DAVI DAVIE-DOWNTOWN

Generate misc charge . . :

F3=Exit F4=Prompt F24=More keys

After Hour call in

Called in the night before

Larry

UT500U02 Town of Davie 8/14/07

Change Service Order Comment Maintenance 13:52:56

Service Order

Type . : LP LOW PRESSURE Svc order nbr : 143023

Status : COMPLETED Issue date/time: 7/19/07 8:07:04

Customer ID . : 47247 PEREZ, SYLVIA & GARCIA,ELIEZER

Location ID . : 21886 3664 SW 59 AVE

City . . . . . : DAVIE

Meter number . : 79932527

Service cd/Seq : AW 000 WATER

To complete service order type information, press Enter.

4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	CUSTOMER CALLED SYSTEM # 3 LATE LAST NIGHT		0
_	NOTE	STATING THAT THEY HAVE VERY LOW WATER		0
_	NOTE	PRESSURE. I CHECKED THE SPIGOT OUT FRONT		0
_	NOTE	AND THE PRESSURE WAS NOT NORMAL.		0
_	NOTE	PRESSURE READING AT METER WAS 65 PSI		4
_	NOTE	AT THE HOUSE SPIGOT PRESSURE WAS 22 PSI		4
_	NOTE	CUSTOMER INFORMED TO REPLACE THEIR LINE.		4
				+

F3=Exit F4=Prompt F12=Cancel F18=Enter readings

UT500U04 Town of Davie 8/14/07
Change Service Order Comment Maintenance 09:55:54

Service Order
Type . : LR LEAK - REPAIR Svc order nbr : 141196
Status : COMPLETED Issue date/time: 5/09/07 8:56:06

Location
General site : AREA GENERAL LOCATION AREA

Service cd/Seq : AW 000 WATER
To complete service order type information, press Enter.
4=Delete 5=Display

Opt	Cmt Cd (F4)	Alphanumeric Value	Numeric Value 4 Decimals	Prt Loc (F4)
_	NOTE	DAVIE FIRE DEPARTMENT CALLED ROY TUESDAY		0
_	NOTE	AFTER HOURS REPORTING A LEAK IN THE REAR		0
_	NOTE	OF 4801. I ARIVED THERE AT 11:30 PM		0
_	NOTE	REPAIR OR REPLACE WATER SERVICE.		0
_	NOTE	REPLACED SERVICE LINE.		4
_				4
_				4
				+

F3=Exit F4=Prompt F12=Cancel

After hours call in

Larry

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
16	10/1/2006												
17	10/2/2006	JC	LS # 38			Stay	0.25			0.25			
18		AD	LS # 38 & 8			Stay	0.75			0.75			
19	10/3/2006												
20	10/4/2006												
21	10/5/2006	JC	LS # 42			Call in	3			3			
22	10/6/2006	GC	Cover CS			Stay	4.25				4.25		
23	10/7/2006	OC	7590 SW 39 Ct	Leak		Call in	3	3					
24		DS	7590 SW 39 Ct	Leak		Call in	3	3					
25	10/8/2006	AD	System 2	Eff pump		Call in	3					3	
26	10/9/2006												
27	10/10/2006												
28	10/11/2006												
29	10/12/2006	GA	LS # 41			Call in	3			3			
30	10/13/2006												
31	10/14/2006												
32	10/15/2006	DS	8260 SW 44 Ct	Leak		Call in	3	3					
33	10/15/2006	DS	Gateland Village	Sewer Blockage		Call in	3		3				
34	10/15/2006	TV	Gateland Village	Sewer Blockage		Call in	3		3				
35	10/16/2006												
36	10/17/2006												
37	10/18/2006												

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYE E	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
38	10/19/2006												
39	10/20/2006												
40	10/21/2006	JC	LS # 26	Pull pump		Stay	0.25			0.25			
41	10/22/2006												
42	10/23/2006												
43	10/24/2006	GA	LS # 50		pull pump	Stay	0.5			0.5			
44	10/24/2006	JC	LS # 50		pull pump	Stay	0.5			0.5			
45	10/25/2006	JB	Country Creek	Repair leak		Stay	2	2					
46	10/26/2006												
47	10/27/2006	AD	System #1	Rec Pit Pump		Stay	0.75					0.75	
48	10/27/2006	JC	LS # 5	No Power, Truck hit pole		Call in	5			5			
49	10/27/2006	AD	LS # 5	No Power, Truck hit pole		Call in	3			3			
50	10/28/2006	GA	Cover LS	JC taking exam		Schd	9.5			9.5			
51	10/29/2006												
52	10/30/2006												
53	10/31/2006												
54	11/1/2006												
55	11/2/2006	GA	Cover LS			Stay	0.5			0.5			
56	11/2/2006	GC	ST Rd 84			No Lunc	0.5		0.5				
57	11/2/2006	KO	ST Rd 84			No Lunc	0.5		0.5				
58	11/2/2006	JR	ST Rd 84			No Lunc	0.5		0.5				
59	11/3/2006	AD	System # 2	Effluent Pump Valve		Stay	0.5					0.5	

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
60	11/3/2006	RR	Cover CS			Stay	1				1		
61	11/4/2006	AD	System # 2	Effluent Pump Valve		Schd	5					5	
62	11/5/2006												
63	11/6/2006												
64	11/7/2006	RR	Cover CS			Stay	3				3		
65	11/8/2006	GC	University Dr	Sewer Break	Repaired	Stay	4.5		4.5				
66	11/8/2006	KO	University Dr	Sewer Break	Repaired	Stay	4		4				
67	11/8/2006	JR	University Dr	Sewer Break	Repaired	Stay	4.5		4.5				
68	11/8/2006	TV	University Dr	Sewer Break	Repaired	Stay	4.25		4.25				
69	11/9/2006	GA	Garage	Truck broke down	Waiting on tow	Stay	0.75			0.75			
70	11/9/2006	BB	LS # 2	Alarm	Rags	Call in	3			3			
71	11/10/2006	BB	Cover LS	Holiday		Schd	7.5			7.5			
72	11/10/2006	JR	4050 SW 101 Ave	Leak	Replaced Meter	Call in	3	3					
73	11/11/2006												
74	11/12/2006												
75	11/13/2006												
76	11/14/2006												
77	11/15/2006												
78	11/16/2006	JC	LS # 5	Alarm	Power blips	Call in	3			3			
79	11/17/2006												
80	11/18/2006												
81	11/19/2006	JC	LS # 24	Alarm	Grease	Call in	3			3			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
82	11/20/2006	GA	LS # 29	Control Problem	Repaired	Stay	0.5			0.5			
83	11/20/2006	AD	LS # 29	Control Problem	Repaired	Stay	0.5			0.5			
84	11/21/2006												
85	11/22/2006												
86	11/23/2006	GA	Cover LS			Schd	8			8			
87	11/24/2006	GA	Cover LS			Schd	8			8			
88	11/25/2006	DS	2820 NW 72 Ave	Sewer Backup		Call in	3		3				
89	11/26/2006												
90	11/27/2006	GA	LS# 2	Alarm		Call in	3			3			
91	11/28/2006	GA	LS # 2	Alarm		Call in	3			3			
92	11/29/2006	DS	2820 NW 72 Ave	Sewer Blockage		Call in	3.75		3.75				
93	11/29/2006	TV	2820 NW 72 Ave	Sewer Blockage		Call in	3.5		3.5				
94	11/30/2006	GA	LS # 23	Alarm		Call in	3			3			
95	11/30/2006	AD	LS # 50	Re install pump		Stay	1.5			1.5			
96	11/30/2006	JC	LS # 50	Re install pump		Stay	0.75			0.75			
97	12/1/2006												
98	12/2/2006	TV	4280 SW 53 Ave	Leak	Small wait till Mo	Call in	3	3					
99	12/3/2006												
100	12/4/2006	RR	4650 Lakeside Ter	Turn on		Call In	3				3		
101	12/5/2006	BB	LS # 29	Alarm	Breaker Tripped	Call in	3			3			
102	12/6/2006	BB	LS # 2	Alarm	Pumps Left Off	Call in	3			3			
103	12/6/2006	TV	Brentwood	Sewer Blockage	Cleared Grease	Call in	3		3				

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
104	12/6/2006	GC	Brentwood	Sewer Blockage	Cleared Grease	Call in	3		3				
105	12/7/2006	JC	LS # 42	Alarm	Pulled	Call in	3			3			
106	12/8/2006	KO	Cover CS			Stay	1.75				1.75		
107	12/9/2006												
108	12/10/2006												
109	12/11/2006	RR	Cover CS			Stay	1				1		
110	12/12/2006	KO	Cover CS			Stay	4.5				4.5		
111	12/13/2006	KO	5860 SW 70 Ave	Break		Stay	1.5	1.5					
112	12/13/2006	JR	5860 SW 70 Ave	Break		Stay	1.25	1.25					
113	12/13/2006	DS	5860 SW 70 Ave	Water Break		Stay	1.75	1.75					
114	12/14/2006	GA	LS # 28			Stay	2.5			2.5			
115	12/14/2006	JC	LS # 28			Stay	1			1			
116	12/14/2006	AD	LS # 28			Stay	2.5			2.5			
117	12/15/2006												
118	12/16/2006												
119	12/17/2006	JR	6101 SW 41 Ct	Sewer Backup		Call in	3		3				
120	12/18/2006	KO	Cover CS			Stay	2.5				2.5		
121	12/19/2006												
122	12/20/2006	GA	LS # 39	Repairs		Stay	0.5			0.5			
123	12/20/2006	JC	LS # 39	Repairs		Stay	0.5			0.5			
124	12/21/2006	GA	Cover CS			Stay	1				1		
125	12/22/2006	DA	Cover LS			Schd	6			6			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
126	12/23/2006	GA	Cover LS			Schd	9.5			9.5			
127	12/23/2006	DA	LS # 28	Alarm	Repaired	Call in	3			3			
128	12/24/2006	DA	Cover LS			Schd	3.5			3.5			
129	12/24/2006	TV	7111 SW 39 Ct	Back up Roots	Cleared	Call in	3		3				
130	12/24/2006	DA	LS # 24	Alarm	Pulled Pump	Call in	3			3			
131	12/24/2006	GA	LS # 24	Alarm	Pulled Pump	Call in	3			3			
132	12/25/2006	DA	3745 SW 59 Ave	Sewer Back up	Grease Cleared	Call in	3		3				
133	12/25/2006	TV	3745 SW 59 Ave	Sewer Back up	Grease Cleared	Call in	3		3				
134	12/26/2006	GA	Cover LS	Pull pumps LS # 39	Rags	Stay	1.75			1.75			
135	12/26/2006	KO	Cover CS			Stay	0.5				0.5		
136	12/27/2006												
137	12/28/2006												
138	12/29/2006												
139	12/30/2006												
140	12/31/2006	JC	Cover LS & CS			Schd	7.5			7.5			
141	1/1/2007												
142	1/2/2007	GA	Cover LS			Stay	1			1			
143	1/2/2007	RR	Cover CS			Stay	1			1			
144	1/3/2007	GA	Cover CS			Stay	3				3		
145	1/4/2007	GC	SW 70 Ter	Break (curbstop)		Stay	2.25	2.25					
146	1/4/2007	DS	SW 70 Ter	Break (curbstop)		Stay	2.25	2.25					
147	1/4/2007	JR	SW 70 Ter	Break (curbstop)		Stay	1.75	1.75					

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
148	1/4/2007	TV	Nova Area	Flushing Valve locating		Stay	2.5	2.5					
149	1/5/2007	GC	Atrium	Break		No Lunc	0.5	0.5					
150	1/5/2007	DS	Atrium	Break		No Lunc	0.5	0.5					
151	1/5/2007												
152	1/6/2007	DS	Flush Hyd			Call in	6.75	6.75					
153	1/7/2007	GC	Flush Hyd			Call in	4	4					
154	1/7/2007	DS	Flush Hyd			Call in	4	4					
155	1/8/2007	GC	SW 112 Ave	Break		Call in	8.25	8.25					
156	1/8/2007	KO	SW 112 Ave	Break		Call in	6.25	6.25					
157	1/8/2007	JR	SW 112 Ave	Break		No Lunc	0.5	0.5					
158	1/8/2007	DS	SW 112 Ave	Break		Call in	8.25	8.25					
159	1/8/2007	TV	SW 112 Ave	Break		Call in	6.5	6.5					
160	1/9/2007	GA	Flushing Orange Dr west 100 Ave			Stay	4	4					
161		GC	Flushing Orange Dr west 100 Ave			Stay	4	4					
162		KO	Flushing Orange Dr west 100 Ave			Stay	2	2					
163		DS	Flushing Orange Dr west 100 Ave			Stay	4.5	4.5					
164		DS	4240 SW 112 Ave	Meet customer about driveway access		Call in	3	3					
165	1/10/2007	GC	Flushing Nob Hill			Stay	4	4					
166		KO	Flushing Nob Hill			Stay	4	4					
167		DS	Flushing Nob Hill			Stay	4	4					
168	1/11/2007												
169	1/12/2007												

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
170	1/13/2007	DS	3901 NW 78 Ln	Leak Customer's		Call in	3	3					
171	1/14/2007	DS	3901 NW 78 Ln	Turn on water		Call in	3	3					
172	1/15/2007	BB	Cover LS			Schd	8			8			
173	1/15/2007	JR	Exotic Acres	Leak		Call in	3	3					
174	1/16/2007	GC	Cover CS			Stay	5.25				5.25		
175	1/17/2007												
176	1/18/2007												
177	1/19/2007												
178	1/20/2007												
179	1/21/2007	JR	Saddle up	Leak	Sprinkler	Call in	3	3					
180	1/22/2007	KO	Cover CS			Stay	3.25				3.25		
181	1/23/2007												
182	1/24/2007												
183	1/25/2007												
184	1/26/2007												
185	1/27/2007	JC	LS # 23	Power Problem	Contactor proble	Call in	3			3			
186	1/27/2007	AD	LS # 23	Power Problem	Contactor problem		3			3			
187	1/28/2007												
188	1/29/2007												
189	1/30/2007	GC	4341 SW 70 Ter	Leak		Stay	0.5	0.5					
190	1/31/2007												
191	2/1/2007												

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
192	2/2/2007	JR	Cover CS			Stay	0.5				0.5		
193	2/3/2007	DS	4201 Davie Rd Ext	Leak	Gasket	Call in	3	3					
194	2/4/2007	DS	4201 Davie Rd Ext	Leak	Gasket	Call in	3	3					
195	2/5/2007	GA	Cover CS			Stay	1.5				1.5		
196	2/6/2007	GC	Nova Hills	Change Services	Clean up	Stay	0.5	0.5					
197	2/7/2007												
198	2/8/2007	GC	4941 Palm Garden Ct	Leak	Repaired	Stay No	3	3					
199	2/8/2007	DS	4941 Palm Garden Ct	Leak	Repaired	Stay No	3	3					
200	2/8/2007	AD	LS # 45	BB pulled rails out		Stay	0.5			0.5			
201	2/9/2007	DS	2219 Nova Village Dr	Leak	Repaired	Stay	0.5	0.5					
202	2/9/2007	KO	2219 Nova Village Dr	Leak	Repaired	Stay	2	2					
203	2/9/2007	GC	2219 Nova Village Dr	Leak	Repaired	Stay	2	2					
204	2/9/2007	GA	LS # 45	Alarm	Replaced Float S	Call in	3.5			3.5			
205	2/10/2007	DS	Nova Hills	Change Services		Schd	8	8					
206	2/10/2007	GC	Nova Hills	Change Services		Schd	8	8					
207	2/11/2007												
208	2/12/2007	GC	4943 Palm Garden Ct	Patch		Stay	0.75	0.75					
209	2/13/2007	AD	LS # 8	Air comp problem		No lunc	0.5			0.5			
210	2/13/2007	KO	Cover CS			Stay	4.25				4.25		
211	2/14/2007												
212	2/15/2007	AD	LS # 13	Pump # 3	In Service	Stay	0.5			0.5			
213	2/15/2007	JC	LS # 13	Pump # 3	In Service	Stay	0.5			0.5			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYE E	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
214	2/15/2007	GA	LS # 13	Pump # 3	In Service	Stay	0.5			0.5			
215	2/16/2007	GC	3777 NW 78 Ave	Break Water		Call in	7.5	7.5					
216	2/16/2007	JR	3777 NW 78 Ave	Break Water		Call in	3	3					
217	2/17/2007	DS	3777 NW 78 Ave	Break Water		Call in	3.75	3.75					
218	2/18/2007	GC	7280 Stirling Rd	Leak	Sprinkler	Call in	3	3					
219	2/19/2007	GA	Cover LS			Schd	6.5			6.5			
220	2/19/2007	GC	7280 Stirling Rd	Leak	Sprinkler	Call in	3	3					
221	2/20/2007												
222	2/21/2007	GA	LS # 10	Broken pipes	Repaired	No Lunc	0.5			0.5			
223	2/21/2007	AD	LS # 10	Broken pipes	Repaired	No Lunc	0.5			0.5			
224	2/22/2007												
225	2/23/2007												
226	2/24/2007	JR	System # 3 Lime Building	Back up		Call in	3					3	
227	2/25/2007												
228	2/26/2007												
229	2/27/2007												
230	2/28/2007												
231	3/1/2007												
232	3/2/2007	GA	LS # 19	Pump loss prime	Reprimed	Stay	2			2			
233	3/2/2007	JC	LS # 19	Pump loss prime	Reprimed	Stay	2			2			
234	3/2/2007	AD	LS # 19	Pump loss prime	Reprimed	Stay	2			2			
235	3/2/2007	KO	SW 42 St & 72 Ave	Leak	Repaired	Call in	6	6					

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
236	3/2/2007	RR	SW 42 St & 72 Ave	Leak	Repaired	Call in	6	6					
237	3/3/2007												
238	3/4/2007	JC	LS # 28	Alarm		Call in	3			3			
239	3/5/2007												
240	3/6/2007												
241	3/7/2007	JC	LS # 42	Alarm		Call in e	0.5			0.5			
242	3/8/2007	GA	LS # 52	alarm	Set up bypass pu	Call in	4			4			
243	3/8/2007	DS	LS # 52	alarm	Set up bypass pu	Call in	4			4			
244	3/8/2007	GA	LS # 52	Alarm	Pump down stati	Call in	3			3			
245	3/9/2007	GA	LS # 52	Alarm	Pump down stati	Call in	3			3			
246		DS	Townhall	Valve replacement		Stay	5	5					
247		KO	Townhall	Valve replacement		Stay	0.25						
248		JL	Townhall	Valve replacement		Stay	5	5					
249		TV	Townhall	Valve replacement		Stay	4.5	4.5					
250	3/10/2007	DS	Townhall	check and pick up cones		Call in	3	3					
251	3/11/2007												
252	3/12/2007												
253	3/13/2007												
254	3/14/2007	JC	LS # 19	Alarm		Call in	3			3			
255	3/14/2007	AD	LS # 19	Alarm		Call in	3			3			
256	3/15/2007	RR	Cover CS			Stay	2.25				2.25		
257	3/16/2007	RR	Cover CS			Stay	1.25				1.25		

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
258	3/17/2007	GC	NW 78 Ter & 40 St	leak	Sprinkler	Call in	3	3					
259	3/18/2007	TV	4160 SW 56 Ter	Leak	Customers	Call in	3	3					
260	3/19/2007	GA	LS # 48	Alarm	Pull Pumps	Stay	1			1			
261	3/19/2007	GC	Cover CS			Stay	2				2		
262	3/20/2007	RR	Cover CS			Stay	3.25				3.25		
263	3/21/2007	RR	Cover CS			Stay	3.25				3.25		
264	3/22/2007	RR	Cover CS			Stay	1				1		
265	3/22/2007	AD	LS # 8	Low Level	Reset Controls	Call in	3			3			
266	3/23/2007	RR	Cover CS			Stay	1.25				1.25		
267	3/24/2007												
268	3/25/2007	GC	System # 2	Lagoon		Schd	4.5					4.5	
269	3/25/2007	DS	System # 2	Lagoon		Schd	4.5					4.5	
270	3/26/2007	RR	Cover CS			Stay	1.25				1.25		
271	3/26/2007	DS	7801 NW 40 St	Leak		Stay	1.25	1.25					
272	3/27/2007												
273	3/28/2007	GC	7801 NW 40 St	Leak		No Lunc	0.5	0.5					
274	3/28/2007	DS	4105 SW 56 Ter	Replace service line		No Lunc	0.5	0.5					
275	3/28/2007	BD	4105 SW 56 Ter	Replace service line		No Lunc	0.5	0.5					
276	3/29/2007												
277	3/30/2007												
278	3/31/2007												
279	4/1/2007	GA	LS # 22	Alarm		Call in	3			3			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYE E	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
280	4/2/2007	GA	LS # 21	Call from customer c	Problem is inside	Stay	1			1			
281	4/2/2007	RR	Cover CS			Stay	1				1		
282	4/3/2007												
283	4/4/2007												
284	4/5/2007	KO	Cover CS			Stay	1.5				1.5		
285	4/5/2007	JL	7400 Stirling Rd Bldg 9	Leak		Stay	0.75	0.75					
286	4/5/2007	TV	7400 Stirling Rd Bldg 9	Leak		Stay	0.75	0.75					
287	4/6/2007	JL	Cover CS			Stay	1.75				1.75		
288	4/7/2007												
289	4/8/2007												
290	4/9/2007												
291	4/10/2007	GA	LS # 20	Clean rags out of pumps		Stay	1			1			
292	4/10/2007	AD	LS # 20	Clean rags out of pumps		Stay	1			1			
293	4/11/2007	BB	LS # 5	Alarm Power Fail	FPL lost Leg	Call in	3.5			3.5			
294	4/11/2007	AD	LS # 5	Alarm Power Fail	FPL lost Leg	Call in	3			3			
295	4/11/2007	BB	LS # 22	Pump keeps tripping	Panel miss wired	Stay	0.5			0.5			
296	4/11/2007	AD	LS # 22	Pump keeps tripping	Panel miss wired	Stay	0.5			0.5			
297	4/12/2007												
298	4/13/2007												
299	4/14/2007	DS	7481 NW 33 St # 31	Leak	Customers	Call in	3	3					
300	4/15/2007												
301	4/16/2007												

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
302	4/17/2007												
303	4/18/2007	GA	LS # 15	Replace Rail system		Stay	3			3			
304	4/18/2007	BB	LS # 15	Replace Rail system		Stay	3.75			3.75			
305	4/18/2007	GC	LS # 15	Replace Rail system		Stay	1.5			1.5			
306	4/18/2007	BD	LS # 15	Replace Rail system		Stay	1.5			1.5			
307	4/18/2007	AD	LS # 15	Replace Rail system		Stay	3			3			
308	4/18/2007	TD	LS # 15	Replace Rail system		Stay	2.75			2.75			
309	4/18/2007	JR	LS # 15	Replace Rail system		Stay	1.5			1.5			
310	4/19/2007												
311	4/20/2007	GC	Cover CS			Stay	4				4		
312	4/20/2007	AD	System # 1	Recovery Pump		Stay	2					2	
313	4/21/2007												
314	4/22/2007												
315	4/23/2007												
316	4/24/2007	TV	6171 SW 43 St	Sewer Backup	Customers	Stay	0.5		0.5				
317	4/25/2007												
318	4/26/2007												
319	4/27/2007	JC	LS # 23	Alarm		Call in	3			3			
320	4/28/2007	GC	3936 SW 67 ter	Turn water off for cu	plumber no show	Call in	3	3					
321	4/28/2007	GC	4225 SW 72 Ter	Water Break	Customers	Call in	3	3					
322	4/28/2007	JC	LS # 5	Check on FPL after I	Power Back	Schd	1			1			
323	4/28/2007	JC	LS # 23	Alarm		Call in	3			3			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
324	4/29/2007												
325	4/30/2007												
326	5/1/2007	AD	LS # 20	Replace Rotaing Ass	Completed	Stay	0.75			0.75			
327	5/1/2007	GA	LS # 20	Replace Rotaing Ass	Completed	Stay	0.75			0.75			
328	5/1/2007	JC	LS # 20	Replace Rotaing Ass	Completed	Stay	0.75			0.75			
329	5/1/2007	TD	LS # 20	Replace Rotaing Ass	Completed	Stay	0.75			0.75			
330	5/2/2007	JL	Cover CS			Stay	1.75				1.75		
331	5/2/2007	JC	LS # 23	Alarm		Call in	3			3			
332	5/3/2007												
333	5/4/2007	KO		Flushing Hydrants		Schd	4					4	
334	5/4/2007	DS		Flushing Hydrants		Schd	4.25					4.25	
335	5/5/2007												
336	5/6/2007	GA	LS # 39	Alarm	Tripped - Rags	Call in	3.25			3.25			
337	5/6/2007	GA	LS # 5	Alarm	Loss of Power	Call in	3			3			
338	5/7/2007	JR	4801 S University Dr	Break hydrant hit	repaired	Call in	5.75	5.75					
339	5/7/2007	DS	4801 S University Dr	Break hydrant hit	repaired	Call in	5.75	5.75					
340	5/7/2007	KO	4801 S University Dr	Break hydrant hit	repaired	Call in	5	5					
341	5/8/2007	AD	System # 1	Slaker		Stay	2.5					2.5	
342	5/9/2007	AD	System # 1	Slaker		Stay	2.5					2.5	
343	5/10/2007												
344	5/11/2007	GA	LS # 8	Set Up By Pass Pump		Stay	2.75			2.75			
345	5/11/2007	GC					0.5			0.5			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
346	5/11/2007	DS	El Jardin	Sewer Backup	Cleared	Stay	0.5		0.5				
347	5/12/2007												
348	5/13/2007	GC	Nova Dr east of College	Break	Repaired	Call in	9.5	9.5					
349	5/13/2007	JL	Nova Dr east of College	Break	Repaired	Call in	8.25	8.25					
350	5/13/2007	JR	Nova Dr east of College	Break	Repaired	Call in	7	7					
351	5/13/2007	DS	Nova Dr east of College	Break	Repaired	Call in	9.5	9.5					
352	5/13/2007	TV	Nova Dr east of College	Break	Repaired	Call in	8.5	8.5					
353	5/14/2007												
354	5/15/2007												
355	5/16/2007												
356	5/17/2007												
357	5/18/2007	BD	Nova	Services		Stay	1.5	1.5					
358	5/18/2007	JL	Nova	Services		Stay	1.5	1.5					
359	5/18/2007	JR	Nova	Services		Stay	0.25	0.25					
360	5/18/2007	TV	Nova	Services		Stay	0.5	0.5					
361	5/18/2007	DS	Cover CS			Stay	3				3		
362	5/19/2007												
363	5/20/2007												
364	5/21/2007												
365	5/22/2007												
366	5/23/2007	JC	LS # 13	pump loss prime		Stay	0.75			0.75			
367	5/23/2007	TD	LS # 13	pump loss prime		Stay	0.75			0.75			

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
368	5/24/2007												
369	5/25/2007												
370	5/26/2007	GC	4310 SW 72 Way	Leak		Call in	3	3					
371	5/26/2007	TD	LS # 13			Call in	4			4			
372	5/26/2007	JC	LS # 13			Stay	2			2			
373	5/27/2007												
374	5/28/2007	TD	LS # 13			Call in	3			3			
375	5/28/2007	JC	Cover LS & LS # 13			Stay	9.5			9.5			
376	5/29/2007												
377	5/30/2007												
378	5/31/2007												
379	6/1/2007	GC	Cover CS			Stay	4				4		
380	6/2/2007	TD	Cover LS	JC Vac		Schd	6			6			
381	6/3/2007												
382	6/4/2007	GC	4461 SW 66 Ter	Leak	Repaired	Call in	3	3					
383	6/4/2007	JR	Nova Hills Villas	Truck would not start		Stay	1.15	1.15					
384	6/4/2007	TD	Cover LS	Only one here & Problems		Stay	1.75			1.75			
385	6/5/2007	TD	LS # 25 & 52	Problems	OK	Stay	3.75			3.75			
386	6/5/2007	RR	Cover CS			Stay	0.5				0.5		
387	6/6/2007												
388	6/7/2007	RR	SW 55 Ct	Dirty water	Flushed area	Stay	2.5				2.5		
389	6/8/2007												

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
390	6/9/2007	JC	6605 sw 41 St	Turn on water		Stay	0.5				0.5		
391	6/10/2007												
392	6/11/2007												
393	6/12/2007												
394	6/13/2007												
395	6/14/2007												
396	6/15/2007												
397	6/16/2007												
398	6/17/2007												
399	6/18/2007												
400	6/19/2007												
401	6/20/2007												
402	6/21/2007												
403	6/22/2007	DS	Cover CS			Stay	2.25				2.25		
404	6/23/2007												
405	6/24/2007												
406	6/25/2007												
407	6/26/2007												
408	6/27/2007												
409	6/28/2007												
410	6/29/2007	GC	Cover CS			Stay	4				4		
411	6/29/2007	BD	Return Equipment			Stay	1.25	1.25					

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
412	6/30/2007	GC	6223 SW 39 Ct	No Water	Customers valve	Call in	3	3					
413	7/1/2007												
414	7/2/2007	GC	2332 Nova Village Dr	Sewer back up	Rats	Stay	0.5		0.5				
415	7/2/2007	BD	2332 Nova Village Dr	Sewer back up	Rats	Stay	0.5		0.5				
416	7/3/2007												
417	7/4/2007												
418	7/5/2007												
419	7/6/2007												
420	7/7/2007												
421	7/8/2007												
422	7/9/2007	DS	Nova Village Dr	Drop off equipment		Stay	0.5		0.5				
423	7/10/2007	TD	Cover LS			Stay	0.5			0.5			
424	7/11/2007	GC	Cover CS			Stay	3.75				3.75		
425	7/12/2007	DS	4921 SW 76 Ave	NMS		Stay	0.25	0.25					
426	7/13/2007	GC	Cover CS			Stay	3.5				3.5		
427	7/14/2007												
428	7/15/2007												
429	7/16/2007	RR	Cover CS			Stay	1				1		
430	7/17/2007	RR	Cover CS			Stay	2.25				2.25		
431	7/18/2007	GC	Cover CS			Stay	4				4		
432	7/19/2007	GC	Cover CS			Stay	3.25				3.25		
433	7/20/2007	GC	Cover CS			Stay	4				4		

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
434	7/21/2007												
435	7/22/2007	GC	LS # 26	Alarm	Pumps Plugged	Call in	3.5			3.5			
436	7/23/2007	GC	LS # 26	Clean wet well		Stay	0.5			0.5			
437	7/23/2007	BD	LS # 26	Clean wet well		Stay	0.5			0.5			
438	7/23/2007	JL	LS # 26	Clean wet well		Stay	0.5			0.5			
439	7/23/2007	GC	6830 Stirling Rd	Leak	Repaired	Call in	5.75	5.75					
440	7/23/2007	DS	6830 Stirling Rd	Leak	Repaired	Call in	5.25	5.25					
441	7/23/2007	RR	6830 Stirling Rd	Leak	Repaired	Call in	4.75	4.75					
442	7/24/2007	GC	6110 SW 41 Pl	Sewer Back up	Customers	Call in	3		3				
443	7/25/2007	TD	LS # 45	Clean wet well		Stay	2			2			
444	7/25/2007	GC	LS # 45	Clean wet well		Stay	2			2			
445	7/25/2007	DS	LS # 45	Clean wet well		Stay	2			2			
446	7/26/2007	DS	Nova Hills	Valve replacement Problems		Stay	1.5	1.5					
447	7/26/2007	GC	Nova Hills	Valve replacement Problems		Stay	1.5	1.5					
448	7/26/2007	BD	Nova Hills	Valve replacement Problems		Stay	1.5	1.5					
449	7/26/2007	JL	Nova Hills	Valve replacement Problems		Stay	1.5	1.5					
450	7/27/2007	TD	LS # 31	Alarm		Call in e	1			1			
451	7/28/2007												
452	7/29/2007												
453	7/30/2007	TD	Cover LS			Stay	1			1			
454	7/30/2007	TD	LS # 31	Alarm		Call in	3			3			
455	7/31/2007	JL	Cover CS			Stay	3.75				3.75		

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	DATE	EMPLOYEE	LOCATION	REASON	RESULTS	TYPE	HOURS	FIELD WATER	FIELD SEWER	LS	CS	Plant	Storm
2	OCTOBER						80.25	11.00	24.75	27.00	8.25	9.25	0.00
3	NOVEMBER						162.25	19.75	28.25	97.00	17.25	0.00	0.00
4	DECEMBER						185.75	140.50	0.00	27.50	14.75	3.00	0.00
5	JANUARY						106.25	39.75	0.00	37.50	19.75	9.00	0.00
6	FEBRUARY						106.00	35.00	1.00	49.00	5.75	15.25	0.00
7	MARCH						63.40	15.15	0.00	31.50	16.75	0.00	0.00
8	APRIL						73.75	22.00	4.50	20.00	25.50	1.75	0.00
9	MAY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	JUNE						0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	JULY						0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	AUGUST						0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	SEPTEMBER						0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Total						777.65	283.15	58.5	289.5	108	38.25	0
15													
456	8/1/2007	KO	System # 3	Unload truck		Stay	0.75					0.75	
457	8/2/2007												
458	8/3/2007	BD	System # 3	Leak at LimeSilo		Stay	0.5					0.5	
459	8/3/2007	JL	System # 3	Leak at LimeSilo		Stay	0.5					0.5	
460	8/4/2007	JC	LS # 26	Pull pumps		Stay	0.5			0.5			
461	8/5/2007												
462	8/6/2007												
463	8/7/2007												
464	8/8/2007	JC	LS # 24	Alarm		Call in	3			3			
465	8/9/2007												
466	8/10/2007												